



# SHOPSMITH<sup>\*</sup> ACCESSORY CATALOG

Accessories for SHOPSMITH Mark 5  
and SHOPSMITH Model 10ER

Magna Engineering Corporation • Menlo Park, California • Cleveland, Ohio

Your SHOPSMITH is a complete home workshop. It provides all the basic tools you need for almost any woodworking operation. The price of your SHOPSMITH includes everything you need to make it a 9" saw, a 12" disc sander, a 16½" drill press, a 34" lathe and a horizontal drill. Accessories are not necessary for you to receive full enjoyment and satisfaction from your SHOPSMITH.

However, if you wish to extend the variety of woodworking jobs you can perform on your SHOPSMITH . . . and if you wish to take further advantage of the versatility that has been built into your SHOPSMITH, Magna Engineering has provided a wide selection of accessories for your use. The prices of these accessories are low because they have been designed and built to take advantage of the basic versatility of SHOPSMITH itself.


## HOW TO SELECT THE ACCESSORIES THAT FIT YOUR SHOPSMITH

**SHOPSMITH Mark 5.** All items listed on pages 1 through 5 will fit on SHOPSMITH Mark 5. Because SHOPSMITH Mark 5 has Power-Mount, it is possible to add major accessories (Jointer, Jigsaw, etc.) in seconds. The auxiliary spindle can be used to mount accessories for dual operations such as disc sanding, drum sanding, buffing-polishing, etc.

**SHOPSMITH Model 10ER.** All items listed in this catalog without an asterisk (\*) can be used on SHOPSMITH Model 10ER. All accessories listed on page 6 are for use on Model 10ER only.

**SHOPSMITH ACCESSORIES ARE AVAILABLE ONLY THROUGH  
AUTHORIZED SHOPSMITH DEALERS**

### 4" MAGNA JOINTER



**4" MAGNA JOINTER ON SHOPSMITH.** Shown above: Feeding workpiece into Jointer. The 3 Jointer knives are precision-ground . . . are tapered to seat against matching retaining wedges for maximum safety.

The 4" Magna Jointer is a valuable addition to any shop. When used on Power-Mount it makes SHOPSMITH Mark 5 a precise, big-capacity saw-jointer combination.

The 4" Magna Jointer has extra-long 28" table . . . 4" width of cut . . . and 2½" rabbeting ledge . . .


features that mean bigger capacity and better work. The rigid 21" fence has automatic stops at most-used angles to reduce setup time. Constructed of fine-grain cast iron, the 4" Magna Jointer is designed to meet SHOPSMITH's high standards of accuracy and precision. When used with SHOPSMITH it utilizes added features, such as built-in ¼ h.p. motor and exclusive Speed-Dial.

Accessory No. 62 000 ..... Price \$49.95

#### SPECIFICATIONS

Width of Cut	4"
Depth of Cut	¾"
Table Length	28"
Power	¼ h.p.
Width of Rabbeting Ledge	2½"
Dimension of Fence	21" x 3"

### 18" MAGNA JIGSAW



**18" MAGNA JIGSAW ON SHOPSMITH.** Shown above: Jigsaw on Power Mount, with Drum Sander on front spindle for sanding finished contours of work done on jigsaw.

The big 18" Magna Jigsaw is another SHOPSMITH accessory that can be added to SHOPSMITH Mark 5 with Power-Mount. It's the best jigsaw value you'll find because it utilizes such costly "built-in" features of your SHOPSMITH Mark 5 as ¼ h.p. motor and Speed-Dial.

This makes it possible to have the right speed for every type of blade and for every material. Special high-speed drive mechanism operates smoothly at speeds impossible with conventional jigsaws.


Tubular arm can easily be pivoted to position below table surface for use of jigsaw as a saber saw or filing machine. Chucks index 90° to provide clearance for long workpieces. Standard equipment includes built-in blower, adjustable blade guide, hold-down, and blade tensioning device.

Accessory No. 61 000 ..... Price \$49.95

#### SPECIFICATIONS


Capacity	Cuts to center of 36" panel. No size limit as a saber saw.
Depth-of-Cut	2" as jigsaw—more as saber saw.
Speed	Variable, to meet operational requirements
Power	¼ h.p.
Table Size	11" x 11"
Table Tilt	0° - 45°

# SHOPSMITH Mark 5 ACCESSORIES



**RETRACTABLE CASTERS\*** • Your SHOPSMITH requires even less space with Retractable Casters. Store it against the wall of your garage, shop or basement, and roll it out when you need it. A touch of your foot—the bench rises and is ready to roll. Another touch of your foot—the bench rests solidly on the floor. The complete set includes two pairs of casters to equip both SHOPSMITH Bench Ends—is quickly and easily installed.


22 008 . . . \$11.95



**LAMP ATTACHMENT** • Provides bright illumination directly on work-piece. Attaches to SHOPSMITH or Jigsaw to suit operation to be performed. Includes cord. Key Switch-Outlet Box (accessory No. 22 015) provides convenient power source.  
12 013 . . . \$4.95


**LATHE CHISEL SET** • This is a special selection of the chisels most commonly used by skilled wood turners. Will perform all standard lathe operations. Chisels are made of finest alloy steel—hold cutting edge longer. Handles are hard rock maple of shape and weight to give chisels perfect balance. Set of five chisels includes: 1" skew, 3/4" gouge, 1/2" parting tool, 1/2" round nose, 1/4" gouge.

12 301 . . . \$8.95



**FACEPLATES** • Use for turning bowls, lamp bases, and other work-pieces which cannot be supported between centers. Quickly secured on SHOPSMITH spindle. Precision machined. Fine grain cast iron. Use 3 3/4" faceplate for work from 4" to 8" in diameter. Use 6" faceplate for work from 7" to 15" in diameter.

12 290—3 3/4" . . . \$1.95  
12 291—6" . . . 2.75



**CARBIDE LATHE CHISELS** • The tungsten-carbide tips on these Lathe Chisels hold their razor-sharp edges indefinitely. Chisels can be used for freehand turning of soft metals as well as plastics and wood.

12 312—1/8" Square Nose . . . \$3.95  
12 313—1/4" Square Nose . . . 3.95  
12 316—1/8" Round Nose . . . 3.95  
12 317—1/4" Round Nose . . . 3.95  
12 311—Set of four . . . . . 14.95



**MAGNA-LUBE** • Magna-Lube is a special grease for SHOPSMITH drive sleeve, spindle spline and quill rack teeth. Apply only a small amount of grease to quill rack.

12 048 . . . \$ .50

**RUST PREVENTIVE SPRAY** • Protects exposed iron and steel surfaces against rust—saw blades, drills, faceplates, hand tools, etc. Not to be used on hard-chrome protected surfaces such as SHOPSMITH tubular ways and table rods.

12 049 . . . \$1.45

**SCREW CENTER** • Holds small work-pieces on spindle. Mount only on spindle rotating counterclockwise when viewed from front (inboard spindle on SHOPSMITH M5).


12 276 . . . \$1.25

**TAILSTOCK CHUCK ARBOR** • Holds Jacobs chuck and drill on tailstock. Use to drill holes in workpieces being turned on faceplate.

12 281 . . . \$1.25

**TAILSTOCK LIVE CUP CENTER** • Ball-bearing mounted tip turns with workpiece. Useful for metal spinning. Fits in SHOPSMITH tailstock.


12 282 . . . \$3.25




**MAGNA MOLDER** • Magna Molder permits molding operations on table saw. Made of quality extruded aluminum. Accurately balanced and machined for smooth, chatter-free operation. Can be secured directly on spindle or mounted on 5/8" arbor. Can also be used on other saws with 5/8" arbors. When using, replace saw-slot table insert with dado-slot table insert.

12 375 . . . \$5.75

**MOLDING KNIVES** • Sets of 3 knives to fit Magna Molder. See below for profiles available.



## PROFILES OF MAGNA MOLDING KNIFE SETS




			Blank Cutter 12 376 . . . \$3.75	1/4", 1/2" Qtr. Rd. 12 377 . . . \$3.75
Glue Joint, 1/2" & Up 12 378 . . . \$3.75	Cabinet Door Lip 12 379 . . . \$4.95	"V" Flute Molding 12 380 . . . \$3.75	Groove Cutter 12 381 . . . \$3.75	Tongue Cutter 12 382 . . . \$3.75
Four Bead Molding 12 383 . . . \$3.75	Ogee Molding 12 384 . . . \$3.75	Ogee Molding 12 385 . . . \$3.75	Ogee Molding 12 386 . . . \$3.75	Reverse Ogee 12 387 . . . \$3.75
Panel Insert 12 388 . . . \$4.95	Panel Insert (Cope) 12 389 . . . \$4.95	1 3/4" Sash 12 390 . . . \$4.95	1 3/4" Sash Cope 12 391 . . . \$4.95	Bead & Cove Molding 12 392 . . . \$3.75

# SHOPSMITH Mark 5 ACCESSORIES

**FRONT TABLE EXTENSION\*** • Dimension from table front to saw blade is increased to 14" for support of extra-wide workpieces. Attaches anywhere on front of saw table or extension table with single twist of knob.

22 351 ... \$3.95



**BUFFING WHEEL** • Restores a bright finish to shop and household items. Mount on 1/2" arbor.

12 330 ... \$1.75

**WIRE BRUSHES** • Useful for burnishing and removal of rust, paint, burrs, etc. Mount on 1/2" arbor.

12 331—Fine ... \$1.75

12 332—Coarse ... 1.75


**LAMBSWOOL POLISHERS** • For polishing in house and shop. Ideal for silver pieces, brass andirons, etc.

12 347—

Mounts on Sanding Drum ... \$1.50

12 345—

Mounts on 6" Faceplate ... 1.50





**SHAPER FENCE** • Use with three-lip Shaper Cutters, 2 1/2" Jointer-Cutter or Drum Sander for precise shaping or finishing straight edges. Exclusive infeed fence screw adjustment indicates each 1/64". Should always be used with Table Insert—Shaper Accessory No. 22 363.

11 700 ... \$11.95

**TABLE INSERT—SHAPER\*** • With fulcrum pins removed, use beneath Shaper Fence to accommodate cutters and provide proper support for work. With fulcrum pins in place, use to guide workpiece when shaping or sanding curved surfaces.

22 363 ... \$1.50




**CUT-OFF WHEEL FOR METAL** • This 8" abrasive cut-off wheel is used like a saw blade to cut through steel, aluminum, copper, brass, plastics, asbestos, masonite and similar materials. Wear goggles and do not use for operations exerting side pressure on wheel. Mount on 3/8" arbor. 12 067 ... \$2.95

**RUBBER-BONDED ABRASIVE WHEEL** • An excellent wheel for honing edges of cutting tools. Also useful for polishing and deburring jobs, but should not be used for dimensional grinding. 22 140 ... \$3.95

**UNIVERSAL HOLD DOWN SET** • Universal Hold Down mounts on miter gauge, rip fence or shaper fence. Special clamp included permits mounting on any side of SHOPSMITH table in vertical or horizontal position. Holds work securely against fence and table, thereby keeping hands out of danger zone. Prevents chatter by holding work firmly during shaping, molding and routing operations. So versatile, it's like owning another pair of hands.

12 357 ... \$7.95



**ALLEN WRENCHES** • These wrenches fit all set screws used on SHOPSMITH and accessories.

12 026—3/16" ... \$2.20


12 027—1/8" ... .20

12 028—3/32" ... .20

**ARBORS** • These arbors include special keyed washer which seats in matching slot to prevent loosening regardless of direction in which spindle is rotating. Never use any other arbor for mounting attachments on outboard (Power Mount) spindle of SHOPSMITH Mark 5.

22 030—1/2" ... \$1.50

22 031—3/8" ... 1.50





**SHAPER CUTTERS** • Three-lip cutters with 1/2" bore. See below for profiles available.

**SHAPER ADAPTER** • Has 1/2" shank for mounting Shaper Cutters on spindle. 12 232 ... \$1.25

**SHAPER COLLARS** • Mount on Shaper Adapter to control depth of cut when shaping curved surfaces. Set of four from 5/32" to 1 1/2" outside diameter. 12 235 ... \$1.45

**2 1/2" JOINTER-CUTTER** • Use with Shaper Fence to edge stock up to 2 1/2" wide. Locks quickly on SHOPSMITH spindle. 12 230 ... \$9.95



**POWER MOUNT COUPLING KIT\*** • Contains all you need for efficient power transmission from the SHOPSMITH Mark 5 headstock to major accessories fitting on POWER MOUNT — four hubs supplied for use on accessory drive shafts and headstock auxiliary spindles — couplings made of reinforced rubber with special Nylon ends. This kit is all you need for using both MAGNA JOINTER and MAGNA JIG SAW on SHOPSMITH M5.

22 001 ... \$3.95

## THREE-LIP SHAPER CUTTERS



Bead Molding  
12 251—\$1.95

Crown Molding  
12 252—\$1.95

Combination Bead & Quarter Round  
12 253—\$1.95

1/2" & 1/4" Quarter Round  
12 254—\$1.95

Groove Cutter  
12 255—\$1.95

Tongue Cutter  
12 256—\$1.95

Blank Cutter  
12 257—\$1.95

Blank Cutter  
12 258—\$1.95

Bead and Bevel  
12 259—\$1.95

Quarter Round and Cove  
12 260—\$1.95

Glue Joint 1/2" & Up  
12 261—\$1.95

Clover Leaf  
12 262—\$1.95

3 Bead & Bevel  
12 263—\$1.95

Bead & Cove Molding  
12 264—\$1.95

Cabinet Door Up  
12 269—\$1.95

Drop Leaf Joint Cutters  
Includes: Drop Leaf and Table Edge  
12 270 (Set of 2)—\$4.95

Table Edge Drop Leaf Up  
Drop Leaf Down



# SHOPSMITH Mark 5 ACCESSORIES

**SHOPSMITH COVER** • Protects SHOPSMITH from moisture, dust, dirt or paint. Boxed-end design—no loose, flapping ends. Durable, heavy-duty material.

12 01-1 ... \$5.95



**AUGER BITS** • Finest tempered tool steel. Set includes five bits— $\frac{1}{4}$ " ,  $\frac{3}{8}$ " ,  $\frac{1}{2}$ " ,  $\frac{5}{8}$ " ,  $\frac{3}{4}$ " .

12 201 ... \$6.95

**ROUTER BITS** • All have  $\frac{1}{2}$ " shanks. Use with  $\frac{1}{2}$ " router chuck.

12 180— $\frac{1}{4}$ " ... \$1.65



12 181— $\frac{3}{16}$ " ... 1.65

12 182— $\frac{1}{8}$ " ... 1.65

12 183— $\frac{1}{2}$ " ... 1.65


**ROUTER CHUCK** • Use for all operations involving side thrust such as routing, fluting, etc. Takes any attachment with  $\frac{1}{2}$ " shank.

12 193 ... \$1.25



**SHOPSMITH BOOK** • "Power Tool Woodworking For Everyone," written by R. J. De Cristoforo and published by McGraw-Hill, is the most important accessory you can own. The most complete book on power woodworking ever published, it includes all conventional operations—plus the many possible only on SHOPSMITH. Three hundred pages, six hundred illustrations.

11 600 ... \$4.95



**SANDING DISC** • Extra quick-change discs, provide right abrasive grit for every job.

12 101 ... \$3.95

**12" SANDPAPER** • Replacement sheets with long-wearing garnet abrasive. 12 110—Assorted; 12 111—Coarse; 12 112—Medium; 12 113—Fine; \$1.75 per package of six.

**DISTIC ADHESIVE** • Stick-type for application of sandpaper sheets.


12 104 ... \$ .50

**LIQUID ADHESIVE** • Pressure-sensitive for application of sandpaper sheets.

12 106 ... \$ .95

**MORTISING ATTACHMENT** • Guides chisel and bit for cutting clean, accurate square holes in soft and hard wood. Rugged, precision-machined cast iron; steel sleeve.

12 151 ... \$3.95





**MORTISING HOLD DOWN** • Prevents lifting of workpiece when chisel and bit are withdrawn. Locks quickly on SHOPSMITH fence. Adaptable as jig for other operations.

12 152 ... \$1.95

**DRUM SANDER** • ( $2\frac{1}{4}$ " diameter) is excellent for fast contour sanding. Use in vertical or horizontal position—and on inboard or outboard spindles of SHOPSMITH M5. Use also with Shaper Fence (accessory No. 11 700) for fine edges. Abrasive sleeves are held firmly in place by rubber expansion sleeve.

12 126 ... \$2.95

**DRUM SANDER SLEEVES** • Long-lasting garnet abrasive. 12 134—Assorted; 12 135—Coarse; 12 136—Medium; 12 137—Fine; \$1.25 per package of six.



**MORTISING BITS** • Drills out the center as mortising chisel cuts out corners of square holes. Use with mortising chisels of corresponding size.

12 165— $\frac{1}{4}$ " ... \$1.95

12 166— $\frac{3}{8}$ " ... 1.95

12 167— $\frac{1}{2}$ " ... 1.95

12 168— $\frac{5}{16}$ " ... 1.95


**MORTISING CHISELS** • Cuts out corners to form square holes. Use with mortising bits of corresponding size.

12 160— $\frac{1}{4}$ " ... \$3.50

12 161— $\frac{3}{8}$ " ... 3.50

12 162— $\frac{1}{2}$ " ... 3.50

12 163— $\frac{5}{16}$ " ... 3.50




**FLEXIBLE SHAFT** • Made especially for SHOPSMITH, this Flexible Shaft provides portability for many accessories which fit on SHOPSMITH spindle. Has same tapered-Rat tip as SHOPSMITH spindle. All steel—complete ball-bearing construction—fifty inches long. Use with Drum Sander, Buffing Wheel, Wire Brushes, Chucks, etc. Mount only on spindle rotating counterclockwise when viewed from front. Never use on SHOPSMITH M5 rear spindle.

12 326 ... \$15.95

## JIGSAW BLADES


Eight different types of jigsaw blades available for use with wood, plastic and other materials. Blades are oil-hardened tempered steel. Packages of six—from \$.30 to \$.45.




## JIGSAW MACHINE FILES

Use your jigsaw as a filing machine. Set includes shapes most needed in shop—triangular, round, square, half-round, pillar and crochet. Files cut on down stroke, in this holding work on table. Use in jig or saber saw position. Set of six.

Accessory No. 12 095, Price \$4.95




# SHOPSMITH Mark 5 ACCESSORIES



**MAGNA DADO** • Cuts grooves and dadoes from  $\frac{1}{2}$ " to  $\frac{7}{8}$ " wide—up to 2" deep. Useful for rabbeting and tenoning. Width of cut is controlled by gear-synchronized hub, adjusted with Allen wrench. Magna Dado is a complete assembly—no floating washers, chippers or shims. Whip is eliminated by heavy 8" blade,  $\frac{1}{8}$ " thick with special tooth design. Fits most saws with  $\frac{5}{8}$ " or  $\frac{3}{4}$ " arbors. Use table insert with 1" slot.

12 060 . . . \$14.95




**SAFETY GOGGLES** • These large goggles permit a wide field of vision while protecting eyes against dust and abrasive particles. Manufactured by a leading maker of safety equipment, they fit snugly and comfortably, even over glasses.

22 372 . . . \$2.45



**6" DADO BLADE ASSEMBLY** • Conventional dado assembly for grooving, rabbeting, tenoning, etc. Includes two 6" blades and four chippers. Width of cut up to  $\frac{13}{16}$ " is adjusted by changing number and thickness of chippers mounted between blades. Use table insert with 1" slot. Mount on  $\frac{5}{8}$ " arbor.

12 063 . . . \$14.95



**SAW GUARD** • Single unit covers upper and lower portions of saw blade with no limitation on SHOPSMITH versatility. Upper guard adjusts automatically to thickness of stock. Lower guard channels sawdust away from operator. Splitter keeps kerf from closing and binding new saw blade. Anti-kickback fingers grip stock firmly without marring surface.

22 370 . . . \$11.95




**MITER GAUGE STOP ROD** • Serves as jig for crosscutting several workpieces to same length. Fits holes provided in SHOPSMITH miter gauge. Adjustable lengths to 18". Can be used on either side of miter gauge.

12 355 . . . \$1.25

**MITER GAUGE EXTENSION** • This hardwood extension is equipped with knurled studs for quick mounting in slots on SHOPSMITH miter gauge. Provides an extra-large miter gauge face for better control of large workpieces.

12 356 . . . \$1.25



**TABLE INSERT—DADO\*** • All SHOPSMITH table inserts are pressure-cast aluminum alloy, heavily ribbed for strength. Inserts are coined to insure flush fit with table surface. Dado Insert has 1" slot for dado blades or molding knives.

22 360 . . . \$1.25

**TABLE INSERT—SAW\*** • A replacement part for the insert included as standard equipment with SHOPSMITH.


22 361 . . . \$1.25

**TABLE INSERT—NO SLOT\*** • For use when a solid table is desired—as in some drill press work.

22 362 . . . \$1.25

**MITER GAUGE SAFETY GRIP\*** • This revolutionary new accessory is an exclusive SHOPSMITH safety feature. Just grasp the pistol grip firmly and it clamps your workpiece securely against the table and miter gauge. Your hands need never come close to the saw blade and accuracy is assured. Never again need you worry about inaccurate miter cuts caused by the normal tendency of workpieces to "creep" across the face of a miter gauge. It is equally useful for bevel sanding and other operations where firm, positive control of the workpiece is essential.



22 354 . . . \$5.95



## KEY SWITCH AND OUTLET BOX

• This compact unit can be permanently mounted under SHOPSMITH MS baseplate. Regular headstock switch is used to start and stop motor but key switch renders entire machine inoperative when it is desirable to prevent use by unauthorized persons. Extra electric outlet is useful for other tools, lights, etc. Includes 10' extension cord.

22 015 . . . \$6.95



## MAGNA SPRAYER

Put the "finishing touch" on your projects with new Magna Sprayer. Diaphragm-type compressor delivers 2.4 cu. ft./min. @ 30 lbs. pressure. Dual-purpose Spray Gun has internal and external mix spray heads for application of light or heavy materials. Two hose sections are provided (5' and 10'). Special coupling permits insertion of standard garden hose (up to 100') between sections of air hose for spraying long distances from compressor and SHOPSMITH. Also included: twin mounting tubes for use on Mark 5 Power-Mount or on Power-Mount Adapter (Acc. #17 800) for Model 10ER . . . flexible coupling with integral flywheel and one auxiliary spindle hub . . . dusting nozzle . . . tire inflator.


66 000 . . . \$49.95



## 9" SAW BLADES\*


A special blade for every purpose. All-purpose blade is replacement for standard blade provided with SHOPSMITH.

22 051 All-Purpose . . . \$3.45  
 22 053 Hollow Grnd. Comb. . . 5.95  
 22 056 8-Tooth . . . 3.45  
 22 055 Rip . . . 3.45  
 22 054 Crosscut . . . 3.45  
 1/4 Saw Arbor\* (not shown) Required for use with SHOPSMITH blades.  
 22 032 . . . \$1.50




# SHOPSMITH 10ER ACCESSORIES

The accessories shown on this page will fit SHOPSMITH MODEL 10ER only. For other accessories that will fit Model 10ER, see items listed on previous pages that *do not* have an asterisk after name of item.




**POWER-MOUNT ADAPTER** • Permits mounting of Magna accessories on SHOPSMITH Model 10ER. Use with new 18" Jigsaw, Sprayer and other Power-Mount Accessories. Quickly mounts and locks on end of tubes—uses Power-Mount Coupling (Acc. #22 001) to connect to main spindle. Vary speeds by changing belt positions on matching pulleys or with Speed Changer (Acc. #11 300). 4" Magna Jointer can be used only with Jointer Mounting Kit (shown below).  
11 800 ... \$4.95




**8" SAW BLADES** • For every purpose. All-purpose blade is replacement for standard SHOPSMITH blade. Use hollow-ground combination blade for precision mitering and where smooth cut is needed. 8-tooth blade cuts faster and minimizes kickback. Rip and crosscut blades are most efficient for operations indicated. Use with 5/8" arbor.  
12 051 All-Purpose . . . . \$2.65  
12 053 Hollow Ground  
Combination . . . . . 4.45  
12 056 8-Tooth . . . . . 2.65  
12 055 Rip . . . . . 2.65  
12 054 Crosscut . . . . . 2.65


**SPEED CHANGER** • Permits rapid selection of exact speed best for each operation. Speeds can be changed in an infinite range from 425 to 6,800 RPM while SHOPSMITH is running. Slips over tubular ways and bolts to headstock. Speeds are changed by ball-handle crank with etched indicator. Speed selection chart included with each unit to show correct dial setting for every operation.  
11 300 ... \$13.95



**FRONT TABLE EXTENSION** • Dimension from tablefront to sawblade is increased to 12" for support of extra-wide workpieces. Attaches to table on either side of blade with clamp controlled by large knurled knob . . . no wrenches required. Slot for miter gauge machined to match SHOPSMITH table slots. Precision-milled from aluminum alloy.  
12 351 ... \$2.75




**JOINTER MOUNTING KIT** • For use in adding Magna 4" Jointer to SHOPSMITH Model 10ER. Mounting kit headrest replaces present headrest on bench, provides firm support for jointer. Hinged casting permits jointer to swing down and out of the way when not in use, or when SHOPSMITH is raised to vertical position. Jointer is attached to mounting kit quickly and easily . . . can be quickly removed for wall storage.  
11 521 ... \$9.95



**SHOPSMITH TABLE INSERTS** • All table inserts are pressure-cast aluminum alloy, heavily ribbed for strength . . . fit in SHOPSMITH table insert recess and are secured with two flathead screws. Easily leveled with four Allen set screws in SHOPSMITH table.  
**DADO** • accommodates dadoes up to 1" in width.  
12 360 ... \$9.95  
**SAW** • replacement part for standard saw insert.  
12 361 ... \$9.95

**RETRACTABLE CASTERS** • Can be quickly installed on either metal SHOPSMITH bench ends or wooden bench legs. Provides for easy storage and movement of SHOPSMITH. Three-prong lever raises and lowers two casters at once . . . works with a touch of your foot. Can also be used to increase mobility and efficiency of other shop equipment.  
12 008 ... \$11.95



**SHOPSMITH TABLE INSERTS (continued)**  
**NO SLOT** • For use when a solid table is desired as in some drill press work. Can be drilled and tapped for pattern routing.  
12 362 ... \$9.95  
**SHAPER** • For use in shaping operations. With fulcrum pins removed, use beneath Shaper Fence to accommodate cutters and provide proper support for work. With pins in place, use to guide workpiece when shaping or sanding curved surfaces.  
12 363 ... \$1.50

